TABLE 1-11. BIRTHS, PERINATAL AND INFANT DEATHS, AND DEATH RATES BY METHOD OF DELIVERY, CALIFORNIA, 2001 (By Place of Residence) (Based on 2001 Birth Cohort File)

METHOD OF	BIRTHS				INFANT DEATHS			
			PERINATAL DEATHS					
DELIVERY	Total Births	Live Births	Total Perinatal Deaths	Fetal Deaths	Neonatal Deaths	Post- Neonatal Deaths	Total Infant Deaths	
TOTAL	530,405	527,452	4,845	2,953	1,892	927	2,819	
CESAREAN	132,859	132,477	1,069	382	687	375	1,062	
VAG-AFTER CS	6,665	6,606	92	59	33	10	43	
VAGINAL	390,762	388,311	3,574	2,451	1,123	533	1,656	
UNKNOWN	119	58	110	61	49	9	58	

		INFANT DEATHS					
METHOD OF	PE	RINATAL DEAT	ГHS		Total Infant Death Rates		
METHOD OF DELIVERY	Total Perinatal Death Rates	Fetal Death Rates	Neonatal Death Rates	Post- Neonatal Death Rates			
TOTAL <sup>1</sup>	9.1	5.6	3.6	1.8	5.3		
CESAREAN	8.0	2.9	5.2	2.8	8.0		
VAG-AFTER CS	13.8	8.9	5.0	1.5	6.5		
VAGINAL	9.1	6.3	2.9	1.4	4.3		

<sup>&</sup>lt;sup>1</sup> Includes unknown method of delivery.

Note: Total births are live births plus fetal deaths of 20 weeks or more gestation.

Neonatal deaths are deaths under 28 days of age.

Perinatal deaths are neonatal deaths plus fetal deaths of 20 weeks or more gestation.

Postneonatal deaths are deaths occurring between the 28th day and the end of the first year of life.

Infant deaths are under one year of age.

Fetal and perinatal death rates are per 1,000 total births.

Neonatal, postneonatal, and infant death rates are per 1,000 live births.

Death rates based on small numbers are highly unreliable.

Rates are not shown for unknown categories.

Source: State of California, Department of Health Services, Birth Cohort Files.